

CoatOSil* 2816

Description

CoatOSil 2816 coating additive is a linear methyl end-capped ABA silicone-polyether (EO/PO) block copolymer. Its balance of silicone and polyether content renders it an excellent candidate to consider for use in solvent-borne, water-borne and UV/EB cured systems for wood, industrial and auto refinishing, as well as overprint vanishes and inks.

Key Features and Typical Benefits

- Improved slip and mar resistance
- Reduced coefficient of friction (COF)
- Good compatibility with many resin systems
- Good recoatability
- Low tendency to foam

Typical Physical Properties


.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Property	Value		
Appearance	yellow liquid		
Non-volatile content	99+%		
Molecular weight	~3000		
Specific Gravity at 25 °C	1.03		
Viscosity at 25 °C	~150 cSt		
Refractive Index	1.439		

Typical properties are average data and are not to be used as or to develop specifications.

Processing Considerations

- Typical recommended dosage is 0.02-1 percent on total formulation
- Easily incorporated with low shear mixing
- May be pre-diluted to simplify adding accurate low addition levels

Compatibility Illustration in the Triangle Diagram CoatOSil and Silwet* Products



Solubilities

D: disperse, S: soluble				
mixing ratio parts by weight	1:2	1:9	1:19	
Water	S	S	S	
IPA	S	S	S	
Butyl acetate	S	S	S	
dimethylbenzene	S	S	S	
Petroleum ether	D	D	D	
n-hexane	D	D	D	
Proprylene glycol monomethyl ether	S	S	S	

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Product Safety, Handling and Storage

Customers should review the latest Safety Data Sheet (SDS) and label for product safety information, safe handling instructions, personal protective equipment if necessary, emergency service contact information, and any special storage conditions required for safety. Momentive Performance Materials (MPM) maintains an around-the-clock emergency service for its products. SDS are available at www.momentive.com or, upon request, from

any MPM representative. For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center. Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

Contact Information

For product prices, availability, or order placement, contact our customer service at Momentive.com/CustomerService/

For literature and technical assistance, visit our website at: www.momentive.com

DISCLAIMER:

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.